

# The Moorings 42.3

## STANDARD BOAT EQUIPMENT LIST - MOORINGS UPGRADES ON FINAL PAGE\*

### HULL & DECK

Design made following European Directive requirements and according to EC certification  
Monolithic hull design in polyester  
Monolithic structural hull liner bonded to the hull  
Injection moulded deck in glass fibre/balsa sandwich, covered with 'diamond-point' non-skid pattern coating  
Hull-deck joint screwed, bonded and trimmed with teak toerail  
Cast iron keel fixed with bolts and stainless steel backing plates\*  
Rudder hung with glass compound stock  
White gel coat hull  
Sail locker  
Deck cleats at midship, bow and stern  
Outboard engine bracket  
Folding transom doubles as swim platform  
Moorings graphics and striping  
1 x Open (stainless steel) forward pulpit  
2 x Aft pulpits (stainless steel)  
Ring lifebuoy bracket with lifebuoy  
Flag pole socket  
Double lifeline (uncoated stainless steel) and (stainless steel) stanchions - lifeline gate openings to port and starboard

### COCKPIT

Self-draining cockpit  
2 x Cockpit lockers  
2 x Lockers in the sole of the cockpit under helmsman's feet  
1 x Liferaft locker under helm seat, in cockpit bottom (0,80 x 0,40 x 0,58m / 2'7" x 1'4" x 1'11") not including liferaft)  
Gas locker for 2 LPG bottles  
Natural solid wood slatted cockpit seat bench  
Twin steering wheel consoles: (stainless steel) wheels. Steering gear at the port helm station - metal cable transmission system - (stainless steel) handrail - gas holder  
Emergency tiller system with shore power supply access hatch  
2 x Steering compasses on binacle  
Portside engine control and control panel  
Polyester cockpit table - 2 x leaves - glove boxes - 2 x large storage spaces - 2 x (stainless steel) handrails - 12v socket  
1 x Fixed composite arch with mainsail adjustment bridle system - integral lighting in arch  
2 x Hinged companionway doors - plus sliding hatch  
Cold shower in cockpit\*  
2 x Cockpit speakers  
1 x Folding swim ladder (stainless steel) - solid wood steps  
Folding transom - doubles as swim platform

### SAILS & HANDLING

Furling Genoa with UV protective strip\*  
Mainsail with lazyjacks and lazy bag\*  
2 x HARKEN H46.2STC self-tailing sheet winches  
2 x HARKEN H40.2STC self-tailing coachroof winches  
2 x Winch handles aluminium Speed Grip  
2 x Winch handle holders

### MOORINGS & ANCHORING

Self-bailing chain locker  
Single roller (stainless steel) bow fitting with offset roller  
6 x Aluminium moorings cleats - (stainless steel) deck line protection  
1000w Lewmar electric windlass with remote control

### MAST & RIGGING

Standard mast 9/10 electro-polished aluminium installed on the deck, 2 x sets of spreaders  
Anodized aluminium boom  
Discontinuous stainless steel standing rigging  
2 x Backstays with turnbuckles  
Rigid boom vang with tackle  
Genoa furling system with frum above the deck\*  
2 x Stand up blocks on mainsheet arch  
2 x Genoa tracks with piston adjusted traveller cars  
2 x Genoa sheet turning blocks  
Rigging run to cockpit (except boom topping lift and outhaul)  
Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, boom topping lift with cleat on mast, mainsheet, 2 x genoa sheets, 2 x jiffy reefing lines  
7 x Line stoppers  
2 x Halyard bags

### INTERIOR

Woodwork Alpi Mahogany  
Laminated floors\*  
Vinyl headliner in saloon and cabins  
Nu leather upholstery  
Marine mattresses in the cabins  
Mosquito screens and shades

### COMPANIONWAY

Headroom: 1,93m / 6'4"  
2 x Handrails (stainless steel)  
Fornica in companionway  
Non-slip finish on companionway steps

### SALOON

Headroom: 1,95m / 6'5"  
U-shaped saloon bench - Double density foam  
Saloon table 1 piece - varnished wood top with inlay with alu legs  
4 x Matching decorative cushions  
Mirror on starboard bulkhead  
Cupboards - Cubby hole lockers and storage along the hull & storage under bench seats  
Cubbyholes with stainless steel fiddles  
2 x Coachroof panoramic windows with curtains  
2 x Hull portholes with curtains  
2 x Opening portholes on coaming in side windows  
1 x Opening deck hatch with shutter / screens

### NAVIGATION CONSOLE

Sliding, can be configured with the armchairs - Placed against the armchairs - placed against the forward bulkhead, against the galley or between the 2 x mobile seats  
Table with leaf - Moulded wood trim  
Switch panel on bulkhead for access to electrical functions  
1 x White reading light / Red navigation lens

### GALLEY

Headroom: 1,89m / 6'2"  
L-shaped kitchen  
Countertop of corian synthetic surfaces  
1 x sink (stainless steel) - 2 x rectangular basins - 1 x mixer tap cold water / hot under pressure  
ENO 2 burner, (stainless steel) stove and oven on gimbed mountings with (stainless steel) protection handrail

# The Moorings 42.3

## STANDARD BOAT EQUIPMENT LIST

### **GALLEY (Continued)**

Top loading 12v 85L / 380cuft top opening freezer  
Front opening 12v 130L / 416cuft refrigerator  
Fitted cupboards and closed cubbyholes - bin  
1 x Lower cupboard: 1 x drawer - 2 x shelves  
1 x Opening portlight with curtains in side windows in the coaming  
Storage space along the hull

### **STARBOARD AFT HEAD**

Headroom: 1,85m / 6'1"  
Access through saloon and the starboard aft cabin  
Separate shower - 1 x Mixing tap hot water / cold water  
1 x Manual marine toilet\*  
1 x Rigid holding tank 80L / 21USgal\*  
Basin - 1 x Mixing tap hot water / cold water  
Washroom cabinet  
2 x Mirrors  
Toilet accessories  
Cupboard  
1 x Opening port light with curtains in side windows in the coaming

### **STARBOARD AFT CABIN**

Headroom: 1,89m / 6'2"  
Double bed (2,00 x 1,60 x 1,28m / 6'7" x 5'3" x 4'2")  
Access door to starboard aft head  
Cupboards - Hanging locker - Closed cubbyholes  
1 x Bed access sideboard  
1 x Hull porthole with curtain  
1 x Cockpit window with curtains  
1 x Cockpit porthole with curtain  
1 x Flush deck hatch with retractable shade / screen

### **PORT AFT CABIN**

Headroom: 1,89m / 6'2"  
Double bed (2,00 x 1,43 x 1,10m / 6'7" x 4'8" x 3'7")  
1 x Bed access sideboard  
Cupboards - Hanging locker - Closed cubbyholes  
1 x Hull porthole with curtain  
1 x Cockpit window with curtains  
1 x Cockpit porthole with curtain  
1 x Flush deck hatch with retractable shade / screen

### **FORWARD CABIN**

Headroom: 1,87m / 6'4"  
Central double bed (2,00 x 1,88 x 0,51m / 6'7" x 6'2" x 1'8")  
Hanging locker - Glove box - Cubby hole locker - Storage drawer -  
Stowage under platform  
2 x Opening hatches with retractable shades / screens  
2 x Hull portholes with curtain

### **FORWARD HEAD**

Headroom: 1,85m / 6'1"  
Access from cabin  
Shower - 1 x mixing tap hot water / cold water  
1 x Manual Marine toilet\*  
1 x Rigid holding tank 80L / 21USgal  
Basin - 1 x mixing tap hot water / cold water and lavatory doubles  
as shower  
Cupboard and cabinet  
Mirrors

### **ENGINE & STEERING**

Engine Yanmar Diesel 40HP / Sail Drive  
Engine control - Control panel at the port helm station  
Engine compartment: Soundproofing foam - Ventilation: 1 x air  
intake and 1 x air outlet with exhaust fan  
1 x Alternator 12v / 80Ah  
1 x Rotomolded diesel tank 200L / 52USgal (under port aft berth)  
with electronic gauge - Low level alarm - 1 x deck filler  
Filters: Sea water - Diesel - Decanter  
Fixed three blade propeller  
1 x Engine access through companionway (opening with 2 x gas  
pistons)  
2 x Engine access panels through aft cabins  
Fuel filter

### **ELECTRICAL SYSTEM**

LED Interior lights  
Shore power hard wired direct to battery charger  
12v circuit  
2 x House batteries (110Ah) - 1 x Engine battery (110Ah)\*  
Battery charger\*  
1 x Battery isolator switch  
12v electrical panel (Fuses - Voltmeter - Water gauge - Fuel gauge  
Battery warning - Fuel warning - Water warning)  
1 x 12v Socket  
Lighting: Overhead lights - Reading lights - Reading light White/red  
at helm station  
LED navigation lights: 1 x Forward & aft navigation lights - 1 x  
steaming navigation light / Deck light forward of mast - 1 x  
Mooring light on masthead  
2 x Interior speakers  
Fans in cabins and saloon  
Electronic pack with transducer for speed and depth in the hull,  
1 x wind sensor at masthead and 1 x Raymarine display  
in cockpit  
Flush mounted chart plotter in cockpit to be visible from port &  
starboard helms  
Autopilot -- Hydraulic linear drive  
VHF  
Shore power air conditioning

### **WATER SYSTEM**

1 x Rotomolded freshwater tank (370L / 98USgal) - 1 x deck filler\*  
Water pressure system - Expansion tank - Inline filter  
40L / 11USgal electric water heater  
2 x Rigid holding tanks 80L / 21USgal\*  
Shower sump for grey water, electric direct overboard pumps  
1 x Electric bilge pump - 1 x manual bilge pump  
Fridge/Freezer electric direct overboard pump

### **GAS**

Gas bottle storage in the cockpit (0,34m x 0,53m / 1'1" x 1'9")  
1 x Regulator and 1 x auto solenoid shut off

# The Moorings 42.3

## EXTRA CHARTER YACHT EQUIPMENT LIST

### HULL & DECK

Shoal keel  
Moorings signature graphic stripes in sprayed color gelcoat

### SAILS & HANDLING

Ulmer custom heavy duty charter mainsail with Moorings logo  
Ulmer custom heavy duty charter genoa with Moorings blue UV protection  
Ulmer stackpack lazy bag with Moorings logo

### MAST & RIGGING

ProFurl genoa furling system

### COCKPIT

Bimini & dodger  
Hot & cold shower in cockpit  
2 x Fusion Marine cockpit speakers

### INTERIOR

Floorboards and bulkhead edges coated with resin to deter water damage  
Saloon table converts to double berth  
TV - DVD and MP3 players

### NAVIGATION CONSOLE

B&G TriData - Wind, speed, depth  
B&G Triton T41 multifunction display  
B&G LS 40ST16 linear hydraulic drive autopilot  
Fusion V50  
B&G Zeus 2 12" chartplotter in cockpit

### ELECTRICAL SYSTEM

2 x Additional 85amp Gel house batteries  
60amp battery charger  
Shore power air conditioning

### WATER SYSTEM

Additional 200L / 52USgal water tank  
Large Bowl Quiet Flush electric toilets  
Additional 64L / 16USgal waste holding tank gravity discharge

### GENERAL SPECIFICATIONS

Length Overall: 40ft 9in / 12.43m  
Waterline Length: 39ft 3in / 11.97m  
Beam: 13ft 9in / 4.20m  
Draft: 5ft 7in / 1.75m  
Displacement: 19,340lb / 8,777kg  
Fuel Capacity: 52USgal / 200L  
Water Capacity: 150USgal / 570L  
Sail Area: 902sq ft / 83.80sqm  
Engines: 40HP  
Berths: 6 + 2  
Heads: 2

### SAFETY GEAR

Primary and secondary anchors  
6 x Fenders  
4 x Mooring lines  
2 x Spring Lines  
8 x Life Jackets  
Ring lifebuoy  
Safety Harnesses  
Bell  
Flare Kit  
Binoculars  
Navigation tools: Parallel Rule, Compass, Dividers

### CRUISING GEAR

Plates, cups, saucers, glasses for eight (8)  
Bed linens for eight (8)  
Flatware for eight (8)  
Pots, pans, miscellaneous food prep  
Cooking utensils  
Coffee pot, tea, kettle, toaster  
Snorkleing gear for eight (8)  
Towels and washcloths for eight (8)



The Builder reserves the right to change or amend the contents of this document at any time without prior notification to any third party, and no liability will be accepted for errors contained within the same.