

The Moorings 51.4

STANDARD BOAT EQUIPMENT LIST - MOORINGS UPGRADES ON FINAL PAGE*

HULL & DECK

Monolithic GRP hull hand-laid into a 2-part opening mould.
ISO gelcoats. Barrier coat used to guard against osmosis
3rd generation counter-moulded structure glued and laminated to hull for strength. High-load zones cut-out for access to the hull
Injected deck via Prisma Process®. This process yields a very high-end part that is finished on both sides and reduces the weight by 30% with minimum impact on the environment
Open bow pushpit (stainless steel)
Stern pulpits (stainless steel) with bracket for buoy
Stemhead fitting (stainless steel)*
2 x levels of (stainless steel) wire uncoated lifeline gates
Toerail in Teak
6 x (stainless steel) mooring cleats - bow, stern & midship
Handrails on coachroof in Teak
Long lateral coachroof windows drape-formed
10 x Large, fixed hull ports
4 x Opening ports
11 x Opening hatches
Sail locker forward: Access via lockable deck hatch and (stainless steel) ladder
Jeanneau folding transom
Moorings striping and graphics

COCKPIT

Large GRP cockpit table with storage compartments, icebox, and space for instruments
Wood battens on bench seats, fold-down platform and transom
Cockpit lockers: 2 x under bench seats and 1 x central locker
Gas locker for 2 gas bottles, cut-off valve under stove*
2 x Steering wheels, (stainless steel) handrail
2 x Mounted steering compasses
Emergency tiller fitting in cockpit floor
Engine control throttle lever and engine panel at starboard helm
Large aft fold-down swim platform with telescopic ladder
Hinged companionway doors in plexiglas
Sliding horizontal hatch in plexiglas

ANCHORING & MOORING

Anchor locker
1000w / 12v anchor windlass with chainwheel and remote wired direct*
12mm chain anchor gipsy
Stainless steel anchor

ENGINE & STEERING

75HP Yanmar 4JH4-TCE Sail Drive with 4 cylinder Turbocharger
3-Blade fixed propeller
Engine panel and throttle located near starboard helm
Insulation foam 40mm with film, exhaust system roto moulded exhaust mixer with stainless steel exhaust fitting on hull

ENGINE & STEERING (Continued)

GRP engine bed and liner, roto moulded exhaust mixer with (stainless steel) fitting on hull
Ventilation system extractor fan located in engine room cabin berth
Roto moulded fuel tank (240L / 63USgal) located under aft
Fuel filter
Access behind steps to engine compartment

SAILS & HANDLING

Charter upgrade, heavy duty battened mainsail
Charter upgrade, heavy duty furling genoa with UV protection strips
2 x Reefing lines
Long *Harken* mainsail traveller with ball-bearing cars and control lines led aft to cockpit
Genoa tracks on coachroof with cars
Harken winches and spinlock line stoppers
2 x *Harken 60,2ST* self-tailing genoa winches located near helm
2 x Winch handles

MAST & RIGGING

Enhanced aluminium classic mast with double spreaders
Enhanced aluminium boom with rigid vang and tackle
Single backstay
Genoa furler with twin groove and furling line led to cockpit
Running rigging boom topping lift, main halyard, jib halyard, main sheet, jib sheets in polyester
Standing rigging is discontinuous wire 1 x 19
Spinnaker deck fitting without pole
Lazy bag with integrated lazy jacks*

WATER SYSTEM

Fresh water system with high-pressure 12v pump (19L/min) in-line filter and accumulator tank
2 x Roto moulded water tanks 385L / 101USgal tank under the forward berth & 230L / 60USgal tank under aft cabin berth*
Tank manifold with selector valves
Tank gauges located at the electrical panel
1 x 40L / 10USgal hot water heater connected to engine heat exchanger and 110v or 220v electrical system
Cold water shower at the transom
Shower pumps, activation of shower pumps via push button
Manual Marine toilets with large bowl*
1 x Roto moulded holding tank 80L / 21USgal located in aft port head*
Electric bilge pump located in bilge area with activation via switch at electrical panel
Electric bilge pump located in the forward sail locker, with activation via float switch, with separate hose from primary bilge pump
Dual-action manual bilge pump located in the cockpit, with separate hose from primary bilge pump
Seawater filter

The Moorings 51.4

STANDARD BOAT EQUIPMENT LIST

ELECTRICAL SYSTEM

110v or 220v circuit shore-power outlets distributor
Shore power wired direct
Interior lighting and navigation lights
Main electric panel at navigation station backlit in a soft blue light, 12v plug, LCD display
12v circuit for house and engine systems, 12v plugs at nav station
110/220v plugs in each cabin, saloon, chart table and galley
3 x 80Ah 12v House battery*
1 x 110Ah 12v Engine start battery
2 x 40amp battery charger*
Engine alternator: 125amp
Battery switches: in the aft cabin
Radio/CD/MP3 Player with speakers*

INTERIOR

Alpi Fine Teak® interior with marine ply core, solid trim, anti-uv varnish
Ceiling panels and hull liner wood panels with vinyl lining
Laminate floorboards with light-coloured stripes*
Formica in companionway. Companionway steps covered in nonslip surface*
Shades and screens for hatches and ports.

SALOON

Headroom: 6'4" / 6'6" (1.95m / 1.98m)
Comfortable seating arrangement to port for six with view of sea though hull ports
Saloon cushions
Saloon table
Hinged storage compartments under settee seating
Large table with two removable, aluminium legs and central bottle storage
Upper storage cabinets with doors and fiddles

GALLEY

Headroom: 6'4" / 1,94m
Long galley to starboard of entryway
Solid counter tops
Double sinks (stainless steel) with covers and chrome mixer tap
Storage compartments with drawers and doors between the galley and the companionway
Soft-close, fully-extending drawers
Sliding waste bins with multiple compartments for selective sorting and recycling
Upper storage cabinets with storage and microwave
2-Burner cooker and oven with grill function
46USgal / 175L fridge with top access, 12v compressor*
21USgal / 80L icebox with front access*
Opening port above stove top for ventilation

ADDITIONAL CRUISING GEAR

Charter and safety gear

NAVIGATION CONSOLE

Navigation station located to port behind the saloon
Chart table with lazerette work top with opening compartment, space designed for laptop computer
Large storage space under electrical panel for books and other navigation equipment
Bookshelf under table with plexiglas dividers
Chart reading light with red night-time vision mode

FORWARD CABINS

Max headroom: 6'1" / 1,87m
Double berth with high-density foam mattress (2.02m x 1.45m / 6'7" x 4'9")
Large hanging locker to starboard
LED reading lights and overhead led lighting
1 x Opening deck hatch, for light and ventilation
1 x Large fixed hull port(s)
Storage under berth
Wall mounted fans in cabins

FORWARD HEADS

Solid surface countertop and moulded sink
Storage cabinets
Deck hatch to provide light and ventilation
LED overhead lighting and task lighting
Standing shower separated by a plexiglass door
Shower drain with switch
Marine toilet*
Clothes hook, towel bar and mirror

AFT CABINS

Max headroom: 6'5" / 1.97m
Double berth with high-density foam mattress (2.02m x 1.63m / 6'7" x 5'4")
Hanging locker storage shelves along hull & along engine compartment, night stand above engine compartment
LED reading lights and overhead led lighting
1 x Fixed hull port, 1 x opening port into the cockpit for ventilation, 1 x window in coachroof
1 x Additional opening port into the cockpit
1 x Opening hatch
Access to tanks and technical equipment in central corridor
Wall mounted fans in cabins

AFT HEADS

En-suite compartment with access from cabin
En-suite compartments with day access from saloon
Solid surface countertop with moulded sink
Access to through-hulls and plumbing connections under sink
Storage cabinets
Opening port and fixed windows to provide light and ventilation
LED overhead lighting and task lighting
Shower drain with switch
Marine toilet*
Clothes hook and towel bar
Mirror

The Moorings 51.4

EXTRA CHARTER YACHT EQUIPMENT LIST

HULL & DECK

Shoal keel
Bow thruster
Moorings graphics
Full bimini and dodger
Outboard engine bracket
Double anchor rollers

ANCHORING & MOORING

1500w LEWMAR windlass - 12mm chain gypsy
Stainless steel primary anchor

SAILS & RIGGING

Custom charter mainsail with Moorings logo
Custom genoa with Moorings blue UV protection strips
Harken 46.2STE electric halyard winch on port side coachroof
Harken 40.2ST secondary winch on starboard side coachroof
Harken 60.2STE electric genoa sheet winch

WATER SYSTEM

1 x Additional water tank 200L / 45USgal
4 x Large bowl Quiet Flush electric Marine toilets
Hot & cold water shower in cockpit
1 x Additional 50L / 13USgal waste holding tank

ELECTRICAL SYSTEM

Generator ONAN 6kw 110v or 220v
Air Conditioning 48000 BTU
LED lights throughout
Fans in saloon and all cabins
Additional 2 x 85amp Gel House batteries - 5 total
2000w inverter
Fusion interior & exterior waterproof speakers
Upgraded Gel batteries instead of standard LED
TV/DVD set in the saloon

NAVIGATION CONSOLE

Raymarine TriData - Wind, speed, depth
Raymarine Ray 55 VHF radio
Raymarine EVO/P70 linear drive autopilot
Raymarine E95 chartplotter with GPS in cockpit

SALOON

Saloon table converts to double berth
Central two-seats bench with storage

ENGINE & STEERING

Propane solenoid valve

GENERAL SPECIFICATIONS

Length Overall: 50ft 5in / 15.38m
Waterline Length: 45ft 7in / 13.92m
Beam: 15ft 4in / 4.69m
Draft: 5ft 7in / 1.73m
Displacement: 30,644lb / 13,900kg
Fuel Capacity: 63USgal / 240L
Water Capacity: 215USgal / 815L
Sail Area: 1,197ft² / 111m²
Engines: 75HP Yanmar
Berths: 8 + 2
Heads: 4

GALLEY

ENO 3-burner cooker with oven in lieu of 2-burner
Top opening 180L / 6.35cuft electric fridge in lieu of standard

INTERIOR

Floor board edges are coated with resin to deter water damage
Dalsouple on companion way steps
Mosquito screens for portlights

SAFETY GEAR

Primary and secondary anchors
6 x Fenders
4 x Mooring lines
2 x Spring Lines
12 x Life Jackets
Safety Harnesses
Bell
Flare Kit
Binoculars
Navigation tools: Parallel Rule, Compass, Dividers

CRUISING GEAR

Plates, cups, saucers, glasses for twelve (12)
Bed Linens for twelve (12)
Flatware for twelve (12)
Pots, pans, miscellaneous food prep
Cooking utensils
Coffee pot, tea kettle, toaster
Snorkeling gear for twelve (12)
Towels and washcloths for twelve (12)



The Builder reserves the right to change or amend the contents of this document at any time without prior notification to any third party, and no liability will be accepted for errors contained within the same.